

**This Page Is Inserted by IFW Operations
and is not a part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- **BLACK BORDERS**
- **TEXT CUT OFF AT TOP, BOTTOM OR SIDES**
- **FADED TEXT**
- **ILLEGIBLE TEXT**
- **SKEWED/SLANTED IMAGES**
- **COLORED PHOTOS**
- **BLACK OR VERY BLACK AND WHITE DARK PHOTOS**
- **GRAY SCALE DOCUMENTS**

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

APPROVED	O. G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

J. Cohen

S/N 09/418/07

Reagents and Methods Useful for Detecting Diseases
of the Prostate

1 of 7

>g885075	TGCGCNGGAG	CCTGAGCGGA	GGGTGTGCGC	AGCCTCGCCA	GCGGGGGCCC
Consensus	TGCGCNGGAG	CCTGAGCGGA	GGGTGTGCGC	AGCCTCGCCA	GCGGGGGCCC
>g885075	CGGGCTGNCG	CATTGCCTCA	CTGAGCCAGC	GCCTGCCTNC	TACCTCGCCG
Consensus	CGGGCTGNCG	CATTGCCTCA	CTGAGCCAGC	GCCTGCCTNC	TACCTCGCCG
>g885075	ACAGCTGGAA	CCAGTGCAC	CTAGTGGCTC	TCACCTGCTT	CCTCCTGGGC
Consensus	ACAGCTGGAA	CCAGTGCAC	CTAGTGGCTC	TCACCTGCTT	CCTCCTGGGC
>g885075	GTGGGCTGCC	GGCTGACCCC	GGGTTTGTAC	CACCTGGGCC	GCACTGTCCT
Consensus	GTGGGCTGCC	GGCTGACCCC	GGGTTTGTAC	CACCTGGGCC	GCACTGTCCT
>g885075	CTGCATCGAC	TTCATGGTTT	TCACGGTGCG	GCTGCTTCAC	ATCTTCACGG
Consensus	CTGCATCGAC	TTCATGGTTT	TCACGGTGCG	GCTGCTTCAC	ATCTTCACGG
>g885075	TCAACAAACA	GCTGGGGCCC	AAGATCGTCA	TCGTGAGCAA	GATGATGAAG
>1512846	CAAACA	GCTGGGGCCC	AAGATCGTCA	TCGTGAGCAA	GATGATGAAG
Consensus	TCAACAAACA	GCTGGGGCCC	AAGATCGTCA	TCGTGAGCAA	GATGATGAAG
>g885075	GACGTGTTCT	TCTTCCTCTT	CTTCCTCGGC	GTGTGGCTGG	TAGC : TATGG
>1512846	GACGTGTTCT	TCTTCCTCTT	CTTCCTCGGC	GTGTGGCTGG	TAGCCTATGG
>1551713			C	GTGTGGCTGG	TAGCCTATGG
Consensus	GACGTGTTCT	TCTTCCTCTT	CTTCCTCGGC	GTGTGGCTGG	TAGCCTATGG
>g885075	GTTGGCCACG	GAGGGGT			
>1512846	CGTGGCCACG	GAGGGGGCTCC	TGAGGCCACG	GGACAGTGAC	TTCCCAAGTA
>1551713	CGTGGCCACG	GAGGGGGCTCC	TGAGGCCACG	GGACAGTGAC	TTCCCAAGTA
Consensus	CGTGGCCACG	GAGGGGGCTCC	TGAGGCCACG	GGACAGTGAC	TTCCCAAGTA
>1512846	TCCTGCGCCG	CGTCTTCTAC	CGTCCCTACC	TGCAGATCTT	CGGGCAGATT
>1551713	TCCTGCGCCG	CGTCTTCTAC	CGTCCCTACC	TGCAGATCTT	CGGGCAGATT
>1251961					CGGGCAGATT
Consensus	TCCTGCGCCG	CGTCTTCTAC	CGTCCCTACC	TGCAGATCTT	CGGGCAGATT
>1512846	CCCCAGGAGG	ACATGGAC			
>1551713	CCCCAGGAGG	ACATGGACGT	GGCCCTCATG	GAGCACAGCA	ACTGCTCGTC
>1251961	CCCCAGGAGG	ACATGGACGT	GGCCCTCATG	GAGCACAGCA	ACTGCTCGTC
Consensus	CCCCAGGAGG	ACATGGACGT	GGCCCTCATG	GAGCACAGCA	ACTGCTCGTC
>1551713	GGAGCCCAGG	TTCTGGGCAC	ACCCTCCTGG	GGCC	
>1251961	TCTCCAGTA	TGCCAACTGG	CTGGTGGTGC	GGCCCAGGCG	GGCACCTGCG
Consensus	TCTCCAGTA	TGCCAACTGG	CTGGTGGTGC	GGCCCAGGCG	GGCACCTGCG
>1251961	TCTCCAGTA	TGCCAACTGG	CTGGTGGTGC	TGCTCCTCGT	CATCTTCTG
Consensus	TCTCCAGTA	TGCCAACTGG	CTGGTGGTGC	TGCTCCTCGT	CATCTTCTG
>1251961	CTCGTGGCCA	ACATCCTGCT	GGTCAACTTG	CTCATTGCCA	TGTTCAAGTTA
Consensus	CTCGTGGCCA	ACATCCTGCT	GGTCAACTTG	CTCATTGCCA	TGTTCAAGTTA
>1251961	CACATTGCGC	AAAGTACAGG	GCAACAGCGA	TCTCTACTGG	AAGGCG
>1209763			GCGA	TCTCTACTGG	AAGGCGCAGG
Consensus	CACATTGCGC	AAAGTACAGG	GCAACAGCGA	TCTCTACTGG	AAGGCGCAGG
>1209763	TTACCCCTC	ATCCGGGAAT	TCCACTCTCG	GCCCGCGCTG	GCCCCGCCCT
Consensus	TTACCCCTC	ATCCGGGAAT	TCCACTCTCG	GCCCGCGCTG	GCCCCGCCCT

FIG. 1A

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

M. Cohen

S/N 09/41887

Reagents and Methods Useful for Detecting Diseases
of the Prostate

2 of 7

>1209763	TTATCGTCAT	CTCCCACTTG	CGCCTCCTGC	TCAGGCAATT	GTGCAGGCGA
Consensus	TTATCGTCAT	CTCCCACTTG	CGCCTCCTGC	TCAGGCAATT	GTGCAGGCGA
>1209763	CCCCGGAGCC	CCCAGCCGTC	CTCCCCGGCC	CTCGAGCATT	TCCGGGTTTA
Consensus	CCCCGGAGCC	CCCAGCCGTC	CTCCCCGGCC	CTCGAGCATT	TCCGGGTTTA
>1209763	CCTTTCTAAG	GAAGCCGAGC	GGAAGCTGCT	AACGTGGGAA	TCGGTGCATA
>1815040					GTGCATA
Consensus	CCTTTCTAAG	GAAGCCGAGC	GGAAGCTGCT	AACGTGGGAA	TCGGTGCATA
>1209763	AGGAGAACTT	TCTGCTGGCA	CG		
>1815040	AGGAGAACTT	TCTGCTGGCA	CGCGCTAGGG	ACAAGCGGGA	GAGCGACTCC
Consensus	AGGAGAACTT	TCTGCTGGCA	CGCGCTAGGG	ACAAGCGGGA	GAGCGACTCC
>1815040	GAGCGTCTGA	AGCGCACGTC	CCAGAAGGTG	GACTTGGCAC	TGAAACAGCT
Consensus	GAGCGTCTGA	AGCGCACGTC	CCAGAAGGTG	GACTTGGCAC	TGAAACAGCT
>1815040	GGGACACATC	CGCGAGTACG	AACAGCGCCT	GAAAGTGCTG	GAGCGGGAGG
Consensus	GGGACACATC	CGCGAGTACG	AACAGCGCCT	GAAAGTGCTG	GAGCGGGAGG
>1815040	TCCAGCAGTG	TAGCCGCGTC	CTGGGGTGGG	TGGCCGAGGC	CCTGAGCCGC
Consensus	TCCAGCAGTG	TAGCCGCGTC	CTGGGGTGGG	TGGCCGAGGC	CCTGAGCCGC
>1815040	TCTGCCTTGC	TGCCCCCAGG	TGGGCCGCCA	CCCCCTGACC	TGCCTGGGTC
>1859374					GGGTC
Consensus	TCTGCCTTGC	TGCCCCCAGG	TGGGCCGCCA	CCCCCTGACC	TGCCTGGGTC
>1815040	CAAAGACTGA	GCCCTGCTGG			
>1859374	CAAAGACTGA	NCCCTGCTGG	CGGACTTCAA	GGAGAAGCCC	CCACAGGGGA
Consensus	CAAAGACTGA	GCCCTGCTGG	CGGACTTCAA	GGAGAAGCCC	CCACAGGGGA
>1859374	TTTTGCTCCT	AGAGTAAGGC	TCATCTGGGC	CTCGGCCCCC	GCACCTGGTG
>1650092		GGC	TCATCTGGGC	CTCGGCCCCC	GCACCTGGTG
Consensus	TTTTGCTCCT	AGAGTAAGGC	TCATCTGGGC	CTCGGCCCCC	GCACCTGGTG
>1859374	GCCTTGTCCT	TGAGGTGAGC	CCCATGTCCA	TCTGGGCCAC	TGTCAGGACC
>1650092	GCCTTGTCCT	TGAGGTGAGC	CCCATGTCCA	TCTGGGCCAC	TGTCAGGACC
Consensus	GCCTTGTCCT	TGAGGTGAGC	CCCATGTCCA	TCTGGGCCAC	TGTCAGGACC
>1859374	ACCTTTGGGA	GTGTCATCCT	TACAAACCAC	AGCATGCCCG	GCTCCTCCCA
>1650092	ACCTTTGGGA	GTGTCATCCT	TACAAACCAC	AGCATGCCCG	GCTCCTCCCA
Consensus	ACCTTTGGGA	GTGTCATCCT	TACAAACCAC	AGCATGCCCG	GCTCCTCCCA
>1859374	GAACCACTCC	CAGCCTGGGA	GGATCAAGGC	CTGGATCCCG	GGCCGT
>1650092	GAACCACTCC	CAGCCTGGGA	GGATCAAGGC	CTGGATCCCG	GGCCGTTATC
Consensus	GAACCACTCC	CAGCCTGGGA	GGATCAAGGC	CTGGATCCCG	GGCCGTTATC
>1650092	CATCTGGAGG	CTGCAGGGTC	CTTGGGGTAA	CAGGGACCAC	
Consensus	CATCTGGAGG	CTGCAGGGTC	CTTGGGGTAA	CAGGGACCAC	

FIG.1B

9885075
1512846
1551713
1251961
1209763
1815040
1859374
1650092




FIG.2

APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




FIG.3A

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

M. Cohen

S/N 09/03887

Reagents and Methods Useful for Detecting Diseases
of the Prostate

5 of 7




FIG.3B

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

I. Cohen

S/N 09/418 37

Reagents and Methods Useful for Detecting Diseases
of the Prostate

6 of 7




FIG.4A

APPROVED	Q.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

M. Cohen S/N 09/13,837
 Reagents and Methods Useful for Detecting Diseases
 of the Prostate

7 of 7

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19




FIG.4B